

Loss prevention standards

The Use of Temporary Structures During the COVID-19 Pandemic

This guide looks at the property and liability considerations when using temporary structures.



The Use of Temporary Structures During the COVID-19 Pandemic



Introduction

Due to social distancing requirements during the COVID-19 pandemic, companies are increasingly using temporary structures such as marquees, as they can offer a cost-effective means of providing additional space quickly for a set period of time. Possible uses include offices, workshops, welfare facilities and customer seating areas. Although not generally designed for long-term use, temporary is not a consistent term and once in place, it is not uncommon for these units to become more permanent fixtures.



Once proposed or in place, these units/buildings and where they are located, how they are arranged and what they are used for can present increased risk factors, such as from fire, security, escape of water or personal injury. In many cases these exposures can be easily overlooked.

This document is intended to cover the principle risk factors to be considered when installing and using temporary structures, providing guidance and information to keep people and property safe.

This type of addition to a site should be considered as a change, even if temporary, and as such should be managed as part of a formal change management process and based on the value of the project and the exposure, your Insurance Broker and Insurer should be consulted. **Further information can be found in Aviva's Loss Prevention Standards *Managing Change – Property and Managing Change - Liability*.**

Temporary vs Permanent

When someone says something is 'temporary' our mindset can often be totally different to something considered as 'permanent'. The perception may be that a temporary unit does not warrant the same level of attention or focus as something that is considered permanent.

A dictionary definition of temporary is: 'lasting for only a limited period of time; not permanent'.

However, in terms of risk management and loss prevention, how long is a limited period of time, a day; a week; 1 month; 3 months; 1 year; etc.? When these structures are installed is there a definite end date confirmed for their use and is this date fixed? In many instances, insurers see these units starting as temporary and then remaining in place for a number of years. So, the question is when does temporary become permanent?

The exposures posed by these temporary structures, regardless of whether they are temporary or not is unique and **each installation should be assessed based on risk rather than the arbitrary statement of 'it's temporary'.**

The key to understanding the exposure is to treat it as if it is permanent, but for a limited period of time. If it catches fire, causes structural damage, has an escape of water, or causes a personal injury or security incident, the impact of such an event may not be temporary.

This mindset is really important in the risk management approach to temporary structures.

Risk Assessment

The content of your COVID-19 risk assessment should take into account the reasons for requiring a temporary structure such as a marquee or portacabin, and its intended use, e.g. staff canteen, additional storage facility, extending customer seating to comply with social distancing rules, etc.

Risk assessments should also include the significant operational hazards, risks, and the control measures in place such as slip, trip and falls, access and egress, lighting and heating requirements, electrical safety, adverse weather and fire evacuation measures.

The fire risk assessment should also be amended to consider the additional risks presented by the installation and use of any temporary structures.

Design and Construction

The design and construction of the structure is critical to understanding the loading and combustibility of the unit, and both are important factors in considering the exposure posed to the surrounding area.

For larger and more complex structures designs should be verified by a competent person such as a qualified structural engineer. Calculations should include the maximum wind loading of the structure.

The structure should ideally be non-combustible in construction and have a known and approved degree of fire resistance, as the greater the fire resistance rating the less the exposure to nearby structures, stock, contents, etc. A unit located in the middle of a yard area or large pub garden is completely different to one within, close to, or on top of valuable assets.

Fire resistance rating is particularly important if they are to be located where they expose existing assets, or they are stacked on top of each other. This rating should also be borne in mind when considering the occupancy and the impact on emergency evacuation.

After receipt of the unit there should be a formal inspection and rigorous checks to assure it:

- Meets the proposal intent
- Is fit for purpose
- Is damage free
- Has been erected correctly

The Made Up Textiles Association's ([MUTA](#)) accreditation scheme covers marquees, pole tents and other fabric covered temporary demountable structures. Ideally MUTA accredited providers should be used to demonstrate best practice. [Click here](#) for further details of the MUTA best practice guide published in 2014.

Location

The location of the structure is important in relation to the existing layout of the site, from fire, security, access and egress and escape of water exposure perspectives.

Consider the implications of where the structures are to be located, such as:

- Inside an existing building
- On the roof of an existing building
 - If so, how will this be accessed?
 - What is the static and dynamic loading of this unit and this impact on the existing structure?
- In the yard/grounds of an existing building
- Is this hardstanding ground?
- Is it on top of critical services or above a basement?
- How far away from any existing buildings/external storage areas is this?
- How far away from the site boundary or perimeter is this?
- What is vegetation growth like, etc.?
- Uneven ground present?

Ideally temporary structures should be located at least 10m away from existing structures.

The quality of anchorage points should also be considered when siting a temporary structure such as a marquee and whether special anchorage points or the use of ballast weights are required. Anchorage should always be in **accordance with the manufacturer's** instructions and be enough to resist the maximum uplift force expected. Also, be aware of potential tripping hazards from the anchorage points, particularly near walkways or access/exit points.

Static and Dynamic Loading

Where a structure is proposed to be located on the roof of an existing building or in the yard, above critical services or an existing basement area, an assessment with accompanying calculations should be made to ensure the addition of the structure will not cause structural damage and in the worst case, collapse.

This should also include the dynamic loads created by movement, wind, etc.

Examination, Inspection and Testing

Temporary structures should receive a thorough inspection prior to the handing-over to the recipient by a competent person as well as **at regular intervals as part of the site's self-inspection** regimes with any damage or defects repaired promptly. **Ongoing inspections and maintenance should be in accordance with the manufacturer's** instructions.

Fire Exposure

Consideration from the start should be with the hypothetical question – ‘*What if this new structure catches fire?*’

Once asked, the implications of this to life safety, property damage/business activities and any existing assets should be considered, from the following perspectives:

- Emergency evacuation and life safety
- Fire spread between existing assets
- Exposure to fire spread from this unit to existing assets
- Smoke entrainment from the unit into existing structures

All existing fire risk management systems and risk assessments should be revised to include the new unit. Consideration should be specifically given to the following:

- Managing ignition sources, e.g. arson; charging and electrical systems; smoking; hot work; heating appliances
- Combustible loadings should be maintained at a minimum
- Compromising of existing automatic fire detection and/or fire suppression systems
 - Or extending such systems into the unit
 - How will the existing fire alarm be heard in the unit?
- The specific occupancy hazards, i.e. what is the unit to be used for, maximum permissible occupancy?
- Any cooking related equipment
- The provision of additional firefighting equipment
- Additional fire marshal training that may be required
- Location in relation to vegetation, external storage, or waste compounds
 - This includes below the unit. A means of preventing combustible materials growing or accumulating below the unit should be provided, e.g. hardstanding, grilled skirts, etc.

Security Exposure

All existing security risk management systems and risk assessments should be revised to include the additional unit.

Once a unit is proposed, consideration should be given to the:

- Security of the existing site
- Security of the unit itself – including the roof and below
- Potential of increased arson or malicious damage

Escape of Water Exposure

Where these structures have water piped into them, then all existing water risk management systems and risk assessments should be revised to include it. In particular, consideration needs to be given on how best to prevent impact damage or exposed water pipes freezing.

This may be less important where the unit is located in isolation in a yard area, but if it's to be located inside, next to or on top of an existing building, or where they are stacked, this may present a different and increased risk.

Ongoing Prevention Measures

All existing loss prevention, risk management, health & safety and environmental programmes, inspections, testing and maintenance procedures should incorporate this additional property and its occupants.

Removal

Once no longer required or the life span of the unit is complete and it is due to be removed, the management of the removal process needs to be considered in detail, including all the risk factors discussed previously. Once again this is a change, and like all changes is when, from a loss prevention perspective, a site is most vulnerable.

Checklist

A generic Use of Temporary Structures Checklist is presented in Appendix 1 which can be tailored to your own organisation.

Specialist Partner Solutions

Aviva Risk Management Solutions can offer access to a wide range of risk management products and services at preferential rates via our network of Specialist Partners.

For more information please visit:

[Aviva Risk Management Solutions – Specialist Partners](#)

Sources and Useful Links

- [RC33: Recommendations for the selection and risk management of portable accommodation units](#) – Fire Protection Association/RISCAuthority
- [RC15: Recommendations for the use of portable heaters in the workplace](#) – Fire Protection Association/RISCAuthority
- [MUTA Best Practice Guide- Safe Use and Operation of Temporary Demountable Fabric Structures](#)

Additional Information

Relevant Loss Prevention Standards include:

- Arson Prevention
- External and Internal Third Party Exposures – Property Protection
- Hot Work Operations
- Managing Change – Property
- Managing Change – Liability
- Smoke Contamination
- Smoking and the Workplace

To find out more, please visit [Aviva Risk Management Solutions](#) or speak to one of our advisors.

Email us at riskadvice@aviva.com or call 0345 366 6666.*

*Calls may be recorded and/or monitored for our joint protection.

Appendix 1 – The Use of Temporary Structures During the COVID-19 Pandemic Checklist



Location	
Date	
Completed by (name and signature)	

	The Use of Temporary Structures	Y/N	Comments
1.	<p>Have you discussed your proposals with your:</p> <ul style="list-style-type: none"> • Insurance Broker? • Insurer? 		
2.	<p>Has a time frame for delivery of the temporary structures been confirmed?</p>		
3.	<p>Has the proposed length of time the temporary structures will be in situ for been confirmed?</p> <p><i>A temporary unit is actually permanent, but for a specific or limited timeframe.</i></p>		
4.	<p>Are any units proposed to be stacked on top of each other?</p> <p>Has this exposure been included in all risk assessments and Emergency Plans?</p>		
5.	<p>Has the location been established?</p> <ul style="list-style-type: none"> • Is this within an existing building? • Is this on the roof of an existing building? • Is this at least 10m from any existing building or structure? <ul style="list-style-type: none"> ◦ Is this above any critical services, e.g. drains, water mains, etc.? • Is this above any basement areas? 		

	The Use of Temporary Structures Contd.	Y/N	Comments
6.	If it is to be located on the roof of an existing building or above critical services/basements in a yard area, has an assessment been completed with accompanying calculations to ensure the static and dynamic loading of the unit will not cause damage or collapse of the existing arrangements?		
7.	Understanding these units are in most cases essentially combustible or have combustible occupancy, does this proposal provide continuity of combustible material between assets that were otherwise separated by a clear space?		
8.	<p>Is the proposed construction of the unit understood and its fire performance rating?</p> <ul style="list-style-type: none"> • Is this at least 30-minutes fire resistance rating? • Is the rating acceptable based on the exposure, location, and occupancy, etc.? 		
9.	<p>Does the proposed location of any unit:</p> <ul style="list-style-type: none"> • Compromise existing fire protection strategies or access to firefighting devices such as fire hydrants, hoses, etc.? • Expose any existing building air intakes, so if it caught fire, smoke, etc. could be entrained into the existing structure? • Expose or be exposed to existing waste storage or yard storage arrangements? • Be exposed to vehicular impact or similar? 		
10.	<p>Have all risk assessments been updated and revised to consider these units, in respect of:</p> <ul style="list-style-type: none"> • Fire • Security • Health & Safety • Business Impact? <ul style="list-style-type: none"> ○ Has the exposure been quantified? <p>Do these consider different times of the year when environmental conditions are different?</p>		
11.	Is emergency lighting required within or outside of the unit?		

The Use of Temporary Structures Contd.		Y/N	Comments
12.	<p>Are there any exhausts proposed from the unit?</p> <p>Have the locations of these been considered in relation to existing assets, air intakes, fire exits, personnel routes, etc.?</p>		
13.	<p>Based on the exposure to life and property/business activities, are the following proposed within the unit:</p> <ul style="list-style-type: none"> • Automatic fire detection? • Manual break glass alarms? • Automatic fire suppression? 		
14.	Can the fire evacuation alarm be heard from within the unit?		
15.	<p>Is the unit going to be located on hardstanding ground?</p> <p>Is vegetation cut back around the unit and once the unit is in place, will this be monitored and maintained/cut back?</p> <p>Is the area underneath the unit secured with a caged skirt?</p> <p>Is all waste or yard storage located at least 10m away from the unit?</p>		
16.	<p>Have emergency events involving these units been considered?</p> <p>Does the location of this unit impact existing emergency evacuation routes?</p> <p>Has the emergency response plan been revised?</p>		
17.	<p>Are existing or proposed security arrangements appropriate for the risk of:</p> <ul style="list-style-type: none"> • Malicious damage? • Intrusion? • Arson? <p>Are the following needed:</p> <ul style="list-style-type: none"> • Grilles over the windows? • Skirting around the bottom of the unit? • CCTV coverage? • Yard lighting? • Extension of any intrusion detection or access control systems? • Extension of perimeter fencing? • Physical security presence? 		

LOSS PREVENTION STANDARDS

The Use of Temporary Structures Contd.		Y/N	Comments
18.	<p>Are there any specific occupancy hazards or risks that need to be risk assessed in more detail?</p> <ul style="list-style-type: none"> • Sleeping quarters? • Specific to the occupancy or process? 		
19.	<p>Will the unit house any cooking facilities?</p> <ul style="list-style-type: none"> • Have these been included in the risk assessments? • Is the exit point of any exhaust ducts considered? <ul style="list-style-type: none"> ○ Has fire retardant material been provided around the exhaust duct as it passes through the unit wall? • Are appropriate fire detection and/or suppression measures proposed/in place? • Have these facilities been included in proposed cleaning schedules? <ul style="list-style-type: none"> ○ Extract filter and ducts? ○ Cooking equipment? • Have appropriate emergency manual isolations and interlocks been provided to shut down the cooking equipment or gas/power supply upon fire alarm? 		
20.	<p>Will heating be provided?</p> <ul style="list-style-type: none"> • Fixed heating is preferred over portable heaters • The use of indirect heating systems must be used as opposed to direct flame heating (torpedo heaters or fire pits, etc.) or electric heaters with exposed heating elements • Where portable heaters will be used will this be in accordance with the RISC Authority guide - RC15: 'Recommendations for the use of portable heaters in the workplace' • Heaters should be used and maintained regularly in accordance with the manufacturer's instructions • Heaters should be sited in areas clear of combustible goods or other readily ignitable materials. A clear space of at least 1m on all sides between a heater and combustible goods or combustible elements of the construction should be maintained 		

The Use of Temporary Structures Contd.		Y/N	Comments
21.	<p>Is the unit to house any sanitation or water based facilities?</p> <ul style="list-style-type: none"> • Have these been included in the risk assessments? • Can a leak of water expose any important assets? • Can the water piping/supply network freeze in cold weather? 		
22.	<p>Is the unit to house any gas supplies?</p> <ul style="list-style-type: none"> • Hard piped? • Cylinders? <p>Have appropriate emergency manual isolations or interlocks been provided to shut down any gas supply upon fire alarm?</p> <p>If possible, can the gas be shut down at the end of each shift?</p> <ul style="list-style-type: none"> ○ Is this included in the end of shift checks? 		
23.	<p>Are/will all gas cylinders be prohibited from being stored/housed within the unit?</p> <p>Are these located in a secured area outside of the unit?</p>		
24.	<p>Is/will hot work be prohibited on, inside and within 10m of the unit?</p>		
25.	<p>Is/will smoking be prohibited on, inside and within 10m of the unit?</p>		
26.	<p>Upon delivery of the unit has a full assessment been completed to assure it:</p> <ul style="list-style-type: none"> • Is per the design specification? • Is of sound construction? • Has been erected correctly? 		
27.	<p>Is the unit interior maintained:</p> <ul style="list-style-type: none"> • With a minimum amount of combustible materials? • Clean and tidy? <p>Is the unit included in regular waste removal/housekeeping regimes?</p> <p>Is waste removed on a regular basis?</p>		

LOSS PREVENTION STANDARDS

	The Use of Temporary Structures Contd.	Y/N	Comments
28.	Are regular recorded checks completed of the unit to assure that: <ul style="list-style-type: none"> • All assumptions in the risk assessments are valid? • There have been no changes that impact the original design intent? • There is no damage or degradation? • The unit is clean and tidy? • There is no water pooling on the roof? • There is no waste accumulation below or within 10m? • Vegetation is not growing around the exterior of the unit? • Waste materials and/or yard storage are not located within 10m? • There is no evidence of smoking within 10m? 		
29.	Is there a final security check at the end of the shift to assure the unit is secured? Any gas or cylinder supplies are isolated and secured?		
30.	Are all site-wide risk management, loss prevention, health & safety and environmental management programmes/inspections/testing and maintenance schedules up to date?		
31.	Is the date the unit is due to be removed being tracked?		
32.	When the unit is due to be removed, is the process to be formally managed using the same rigor with consideration for the risk factors presented above?		
33.	Additional comments:		

Please Note

This document contains general information and guidance only and may be superseded and/or subject to amendment without further notice. Aviva has no liability to any third parties arising out of ARMS' communications whatsoever (including Loss Prevention Standards), and nor shall any third party rely on them. Other than liability which cannot be excluded by law, Aviva shall not be liable to any person for any indirect, special, consequential or other losses or damages of whatsoever kind arising out of access to, or use of, or reliance on anything contained in ARMS' communications. The document may not cover every risk, exposure or hazard that may arise and Aviva recommend that you obtain specific advice relevant to the circumstances.

02/03/21 V1.0

Aviva Insurance Limited, Registered in Scotland Number 2116. Registered Office: Pitheavlis, Perth PH2 0NH.
Authorised by the Prudential Regulation Authority and regulated by the Financial Conduct Authority and the Prudential Regulation Authority.

LOSS PREVENTION STANDARDS